1 of 1

BATH BOMB LAVENDER

Sample ID: 2207NIVA3698.10652 Strain: N/A Matrix: Topical Type: Bath Salts

Sample Size: ; Batch Size:

Produced: Collected: 01/13/2023 Received: 01/13/2023 Completed: 01/20/2023 Batch#: BBLAVFS100 Client Skinchanted Spa



Not Tested

Foreign Matter

SOP.TS.4.001

Not Tested

Microbials

Not Tested

Not Tested

Heavy Metals

Solvents

Not Tested

Terpenes

SOP.TS.4.200/SOP.TS.4.800

Not Tested

Overall Status: Complete

Pesticides

SOP.TS.4.301 GC-MS/MS SOP.TS.4.300 LC-MS/MS

Not Tested 1

NT Water Activity

SOPTS.4.003

Not Tested

Mycotoxins

SOPTS 4.300 LC-MS/N

Cannabinoids (SOP.TS.4.100 HPLC Analysis)

Complete

ND ND Total THC **100.650 mg/serving** 100.650 mg/container

Total CBD

103.350 mg/serving

103.350 mg/container

Total Cannabinoids

NT

Not Tested Moisture

LOD Results **Analyte** LOQ Results Results Results mg/g mg/g mg/g mg/serving mg/package 100.65 CBD 0.07 0.67 100.65 **CBG** 0.0010 0.02 0.00 2.70 2.70 CBDV ND ND ND ND Δ9-ΤΗС ND ND ND ND ND ND ND CBC ND Λ8-THC ND ND ND ND THCV 0.0000 ND ND ND ND 0.0010 THCa 0.0000 ND ND ND ND CBGa 0.0000 ND ND ND ND CBN 0.0000 ND ND ND ND **CBDa** 0.0010 ND ND ND ND **Total THC** ND ND ND ND **Total CBD** 0.671 0.067 100.650 100.650 Total 0.689 0.069 103.350 103.350

Density: g per 1 mL

Cannabinoids Date Tested: 01/20/2023

Total THC = (THCa x 0.877) + Δ 9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

- ; Water Activity Date Tested:
- ; Moisture Date Tested:
- ; Foreign Matter Date Tested:







Daniel Bernal

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director 01/20/2023

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty